

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	639	@ad<="20030909" and 'thyristor' and 'over' adj1 'voltage' and 'component'	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/15 08:28
L3	400	@ad<="20010309" and 'SCR' and 'PROTECTION' and 'TRIGGER' and 'thyristor'	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/15 08:32
L4	395	@ad<="20010309" and 'SCR' and 'PROTECTION' and 'voltage' and 'TRIGGER' and 'thyristor'	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/15 08:58
L5	21	@ad<="20010309" and 'SCR' and 'PROTECTION' and 'voltage' and 'TRIGGER' and 'thyristor' and 'ESD'	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/15 08:58
L6	1	"6081002".PN.	USPAT; USOCR	OR	ON	2005/07/15 08:45
L7	1	"5739998".PN.	USPAT; USOCR	OR	ON	2005/07/15 08:46
L8	1	"5615073".PN.	USPAT; USOCR	OR	ON	2005/07/15 08:47
L9	1	"5514893".PN.	USPAT; USOCR	OR	ON	2005/07/15 08:47
L10	1	"5086365".PN.	USPAT; USOCR	OR	ON	2005/07/15 08:47
L11	1	"5739998".PN.	USPAT; USOCR	OR	ON	2005/07/15 08:48
L12	1	"5615073".PN.	USPAT; USOCR	OR	ON	2005/07/15 08:48
L13	1	"5576557".PN.	USPAT; USOCR	OR	ON	2005/07/15 08:48
L14	1	"5400202".PN.	USPAT; USOCR	OR	ON	2005/07/15 08:49
L15	81	@ad<="20010309" and 'SCR' and 'PROTECTION' and 'control terminal' and 'thyristor'	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/15 09:03
L16	4	@ad<="20010309" and 'SCR' and 'PROTECTION' and 'control terminal' and 'thyristor' and 'ESD'	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/15 08:58

L17	6	@ad<="20010309" and 'ESD' and 'control terminal' and 'thyristor'	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/15 09:03
S1	227	@ad<="20010309" and (257/107). ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/08 08:26
S2	30	@ad<="20010309" and (257/111). ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/05 13:23
S3	348	@ad<="20010309" and (257/173). ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/15 08:31
S4	132	@ad<="20010309" and (257/157). ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/05 13:23
S5	336	@ad<="20010309" and (257/134-136).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/05 13:23
S6	138	@ad<="20010309" and (257/388). ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/05 13:23
S7	25	@ad<="20010309" and (257/125). ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/05 13:24
S8	2278	@ad<="20010309" and (257/355-360).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/08 11:55
S9	742	@ad<="20010309" and (257/361-363).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/05 13:25
S10	332	@ad<="20010309" and (257/546). ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/05 13:25

S11	533	@ad<="20010309" and (257/328). ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/05 13:26
S12	82	@ad<="20010309" and (363/27). ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/05 13:26
S13	265	@ad<="20010309" and (363/96). ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/05 13:26
S14	408	@ad<="20010309" and (363/135). ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/05 13:27
S15	219	@ad<="20010309" and (363/54). ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/05 13:27
S16	96	@ad<="20010309" and (363/85). ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/05 13:27
S17	184	@ad<="20010309" and (363/129). ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/05 13:59
S18	2	"20040046181"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/05 13:28
S19	438	@ad<="20010309" and 'thyristor' same 'overvoltage' same 'protection'	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/28 12:24
S20	320	@ad<="20010309" and 'thyristor' with 'overvoltage' with 'protection'	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/05 14:40
S21	23	@ad<="20010309" and 'thyristor' same 'overvoltage' same 'protection' and 'control terminal'	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/05 14:04

S22	0	@ad<="20010309" and 'thyristor' and 'overvoltage protection' and 'control terminal' and 'auxiliary terminal'	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/08 11:45
S23	0	@ad<="20010309" and 'thyristor' and 'overvoltage protection' and 'control terminal' and 'auxiliary electrode'	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/05 14:44
S24	14	@ad<="20010309" and 'thyristor' and 'overvoltage protection' and 'control terminal' and 'electrode'	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/05 14:14
S25	12	("4779126" "4896243" "5453384" "5465189" "5907462" "6081002").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/05 14:14
S26	0	@ad<="20010309" and 'lateral' same 'thyristor' and 'tigger' same 'overvoltage'	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/05 14:21
S27	7	@ad<="20010309" and 'lateral' same 'thyristor' and 'trigger' same 'overvoltage'	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/05 14:21
S28	1	@ad<="20010309" and 'lateral thyristor' same 'overvoltage'	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/08 09:36
S29	2	("4896243").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/05 14:43
S30	32	@ad<="20010309" and 'thyristor' and 'ESD protection' and 'terminal' and 'electrode'	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/05 15:14
S31	749	@ad<="20010309" and (257/350).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/05 14:57
S32	462	@ad<="20010309" and (257/351).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/05 14:57

S33	327	@ad<="20010309" and (257/352). ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/05 14:57
S34	250	@ad<="20010309" and (257/353). ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/05 14:57
S35	256	@ad<="20010309" and (257/354). ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/05 14:58
S36	1143	@ad<="20010309" and (257/355). ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/08 11:53
S37	70	@ad<="20010309" and 'CMOS' and 'thyristor' and 'ESD protection'	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/05 15:14
S38	96	christian.in. and 'thyristor'	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/08 08:28
S39	3	@ad<="20010309" and 'lateral thyristor' same 'anode' same 'cathode' same 'trigger' same 'gate'	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/08 09:39
S40	0	@ad<="20010309" and 'lateral thyristor' with 'control terminal'	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/08 09:40
S41	0	@ad<="20010309" and 'lateral thyristor' with 'tigger terminal'	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/08 09:40
S42	0	@ad<="20010309" and 'lateral thyristor' with 'trigger terminal'	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/08 09:40
S43	52	@ad<="20010309" and 'thyristor' with 'trigger terminal'	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/08 09:40

S44	390	@ad<="20010309" and 'thyristor' with 'control terminal'	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/08 09:48
S45	248	@ad<="20010309" and 'thyristor' with 'control terminal' and 'cathode' and 'anode'	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/08 11:48
S46	7	@ad<="20010309" and 'thyristor' with 'control terminal' and 'cathode' and 'anode' and 'CMOS'	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/08 09:42
S47	8	@ad<="20010309" and 'thyristor' with 'control terminal' and 'cmos'	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/08 09:57
S48	105	@ad<="20010309" and (257/355-360).ccls. and 'thyristor'	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/08 13:30
S49	5	@ad<="20010309" and 'control' with 'lateral thyristor' with 'current'	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/08 10:02
S50	11	@ad<="20010309" and 'thyristor' same 'parastic'	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/08 11:32
S51	0	@ad<="20010309" and 'thyristor' and 'over' adj1 'voltage' with 'detector' and 'CMOS'	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/08 10:07
S52	27	@ad<="20010309" and 'thyristor' and 'over' adj1 'voltage' with 'detector'	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/08 10:11
S53	5	@ad<="20010309" and 'thyristor' and ker.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/08 10:15
S54	2	("5754380").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/08 10:15

S55	82	@ad<="20010309" and 'thyristor' and christian.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/08 14:14
S56	27	'0200547'	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/08 11:42
S57	3	'10111462'	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/08 11:43
S58	104	@ad<="20010309" and 'thyristor' and 'overvoltage protection' and 'terminal' and 'electrode'	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/08 11:46
S59	20	@ad<="20010309" and 'thyristor' with 'control terminal' and 'cathode' and 'anode' and 'over' adj1 'voltage'	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/08 11:48
S60	39	@ad<="20010309" and 'thyristor' with 'control terminal' and 'cathode' and 'anode' and 'overvoltage'	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/08 11:48
S61	106	@ad<="20010309" and (257/355). ccls. and 'overvoltage'	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/08 11:53
S62	105	@ad<="20010309" and (257/355-360).ccls. and 'thyristor'	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/08 11:55
S63	143	@ad<="20010309" and (257/107). ccls. and 'thyristor'	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/08 13:31
S64	12	@ad<="20010309" and (257/111). ccls. and 'thyristor'	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/08 13:31
S65	20	@ad<="20010309" and (257/112). ccls. and 'thyristor'	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/08 13:32

S66	24	@ad<="20010309" and (257/123). ccls. and 'thyristor'	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/08 13:32
S67	165	@ad<="20010309" and (257/139). ccls. and 'thyristor'	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/08 13:33
S68	110	@ad<="20010309" and (257/157). ccls. and 'thyristor'	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/08 13:33
S69	295	@ad<="20010309" and (257/173-175).ccls. and 'thyristor'	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/08 13:34
S70	25	@ad<="20010309" and 'thyristor' with 'protection' adj1 'component'	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/08 14:26
S71	1	@ad<="20010309" and 'thyristor' with 'protected' adj1 'component'	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/08 14:15
S72	45	@ad<="20010309" and 'thyristor' same 'component' same 'voltage' same 'protected'	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/08 14:40
S73	52	@ad<="20010309" and 'thyristor' and 'component' and 'over voltage' and 'protected' and 'detector'	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/08 14:40
S75	6	@ad<="20010309" and 'thyristor' and 'auxiliary electrode' and 'first terminal' and 'second terminal'	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/28 12:30
S76	1	"5382826".PN.	USPAT; USOCR	OR	ON	2005/03/28 12:26
S77	1	"5077591".PN.	USPAT; USOCR	OR	ON	2005/03/28 12:27
S78	1	"4901127".PN.	USPAT; USOCR	OR	ON	2005/03/28 12:28
S79	193	@ad<="20010309" and 'thyristor' and 'auxiliary electrodes'	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/28 13:12

S80	214	@ad<="20010309" and 'thyristor' and 'auxiliary' with 'gate electrodes'	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/28 12:32
S81	35	@ad<="20010309" and 'thyristor' and 'auxiliary gate electrodes'	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/28 12:48
S82	102	@ad<="20010309" and 'thyristor' and 'CMOS' and 'ESD'	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/28 12:50
S83	105	@ad<="20010309" and 'thyristor' and 'CMOS' and 'ESD' and 'auxiliary'	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/28 12:50
S84	2	@ad<="20010309" and 'thyristor' and 'CMOS' and 'ESD' and 'auxiliary'	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/28 12:51
S85	4	@ad<="20010309" and 'ESD' and 'auxiliary electrode'	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/28 12:52
S86	520	@ad<="20010309" and 'thyristor' and 'overvoltage protection'	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/28 13:27
S87	12	("5907462" "4896243" "6081002" "5465189" "4779126" "5453384").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/28 13:15
S88	600	@ad<="20030909" and 'thyristor' and 'overvoltage protection'	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/28 13:15
S89	119	@ad<="20030909" and 'Lateral SCR'	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/28 13:23
S90	4	@ad<="20030909" and 'Lateral SCR' and 'control terminal'	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/28 13:23